

# SAFETY DATA SHEET

Page No: 1 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

### 1. Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1. Product identifier

Product name : Permolit Permomax Silicone Matt Interior Paint  
Product type : Mixture

#### 1.2. Relevant identified uses of the mixture and uses advised against

Product use : Water-based, acrylic emulsion based, silicon-reinforced, matt, fully wipeable, mould/mildew resistant, first-grade, topcoat interior paint.  
Identified use(s) : Consumer application.  
Uses advised against : None.

#### 1.3. Details of the supplier of the safety data sheet

Name : Akçalı Boya ve Kimya San. Tic. A.Ş.  
Address : Osmangazi M. Mareşal Fevzi Çakmak C. No:5 Esenyurt-İstanbul/Türkiye  
Tel : +90 212 371 60 00  
Contact e-mail : seval.karahasan@akcaliboya.com.tr

#### 1.4. Emergency telephone number

Emergency telephone : +90 212 371 60 00 (08:00 – 17:00 / Monday - Friday)  
number  
National Toxic : 114 (UZEM)  
Consultation Center  
(Turkey)

### 2. Hazards Identification

#### 2.1. Classification of the substance/mixture

Classification according to Turkish Regulation R.G. 11.12.2013-No 28848 (repeating) and Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures:

The product hasn't been classified.

#### 2.2. Label elements

Signal Word : None  
Pictograms : None  
Hazard Statements : None

#### Precautionary Statements

P102 : Keep out of reach of children.  
P262 : Do not get in eyes, on skin, or on clothing.  
P270 : Do not eat, drink or smoke when using this product.  
P302+P352 : IF ON SKIN: Wash with plenty of soap and water.  
P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P501 : Dispose of contents/container in accordance with local regulation.

#### Supplemental Label Elements

EUH208 : Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Cas No: 55965-84-9) and 1,2-benzisothiazol-3(2H)-one (Cas. No: 2634-33-5). May produce an allergic reaction.

# SAFETY DATA SHEET

Page No: 2 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

### 2.3. Other hazards

It has not been classified to according to PBT and vPvB.

## 3. Composition/Information on the Ingredients

### 3.2. Mixture

| Ingredient name                                                                         | Identifiers                            | %        | Classification                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------|----------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3-iodo-2-propynyl butylcarbamate                                                        | Cas No: 55406-53-6<br>EC No: 259-627-5 | < 0,05   | Acute Tox.4-H302<br>Acute Tox.3-H331<br>Eye Dam.1-H318<br>Skin Sens.1-H317<br>STOT RE 1-H372 (larynx)<br>Aquatic Acute 1-H400 (M=10)<br>Aquatic Chronic 1-H410 (M=1)                                                                                                                                                                                                                                                        |
| 1,2-benzisothiazol-3(2H)-one                                                            | Cas No: 2634-33-5<br>EC No: 220-120-9  | < 0,036  | Acute Tox.4-H302<br>Acute Tox.2-H330<br>Skin Irrit.2-H315<br>Eye Dam.1-H318<br>Skin Sens.1A-H317<br>Aquatic Acute 1-H400 (M=1)<br>Aquatic Chronic 1-H410 (M=1)<br><br>Specific concentration limits:<br>Skin Sens. 1A; H317: C ≥ 0,036 %<br>Inhalation: ATE = 0.21 mg/L (dusts/mists)<br>Oral: ATE = 450 mg/kg bw                                                                                                           |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | Cas No: 55965-84-9                     | < 0,0015 | Acute Tox.3-H301<br>Acute Tox.2-H310<br>Acute Tox.2-H330<br>Skin Corr.1C-H314<br>Eye Dam.1-H318<br>Skin Sens.1A-H317<br>Aquatic Acute 1-H400 (M=100)<br>Aquatic Chronic 1-H410 (M=100)<br>EUH071<br><br>Specific concentration limits:<br>Eye Dam.1; H318: C ≥ 0,6%<br>Eye Irrit.2; H319: 0,06 % ≤ C < 0,6%<br>Skin Corr. 1C; H314: C ≥ 0,6%<br>Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6%<br>Skin Sens. 1A; H317: C ≥ 0,0015 % |

\* For the explanation of the listed hazard statements refer to Section 16.

## 4. First Aid Measures

### 4.1. Description of first aid measures

Inhalation : Remove to fresh air. In case of persistent complaints obtain medical attention  
Ingestion : Do not induce vomiting. Immediately obtain medical attention.  
Skin contact : Remove contaminated clothing. Clean the skin with water, soap and special cleaning cream.  
Eye contact : Flush eye with copious quantities of water. If irritation occurs, obtain medical

# SAFETY DATA SHEET

Page No: 3 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

attention.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### 4.2. Most important symptoms and effects, both acute and delayed

Other information is not available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Other information is not available.

## 5. Firefighting Measures

The product isn't flammable.

### 5.1. Extinguishing media

Suitable extinguishing media : Water, dry chemical powder, foam, CO<sub>2</sub>, inert absorbent sand.  
Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

In case of fire, toxic gases may be released, do not breathe the fumes.

### 5.3. Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear suitable protective clothes, boots, gloves, eye and face protective, self-contained breathing apparatus.

## 6. Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : If leak and spilt occurs, evacuate surrounding areas, ventilate the environment sufficiently. Put on personal protective equipment as specified in Section 8. No action shall be taken involving any personal risk or without suitable training.  
For emergency responders : If special clothing is required during the intervention, consider the information in Section 8. See also the information in "For non-emergency personnel".

### 6.2. Environmental precautions

Keep away from drains, surface and ground water and soil.

### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust or inert absorbent material to limit product leakage. Transfer the leaky material to suitable containers for safe disposal. Soak up with an appropriate absorbent material and put it in a closed container for safe disposal in accordance with current legislation (Section 13).

### 6.4. Reference to other sections

Responding to accident place, wear personal protective equipment in Section 8 and dispose of waste in accordance with procedure in Section 13.

## 7. Handling and Storage

### 7.1. Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (Section 8). Avoid contact with eyes, skin or clothing. Do not ingest. Use in well-ventilated areas. Do not breathe spray/mist. Avoid release to the environment. Keep in original

# SAFETY DATA SHEET

Page No: 4 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

Advice on general occupational hygiene : container. When not in use, keep containers tightly closed. Empty containers may contain product residue, do not reuse.  
: Do not eat, drink or smoke when using this product. Wash hands before eating, drinking or smoking. Take off contaminated clothing and protective equipment before entering eating areas.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in closed package at ambient temperature protecting from direct sun lights and hot. Product isn't flammable and explosive.

### 7.3. Specific end use(s)

Use by looking product label.

## 8. Exposure Controls/Personal Protection

### 8.1. Control parameters

Occupational exposure limit values: No exposure limit value known.

### 8.2. Exposure controls

**Appropriate engineering controls** : Ventilate the environment sufficiently.

### Individual protection measures, Personal protective equipment

Eye/face protection : Use eyewear with CE marking to protect against liquid splashes, dusts, gases.

Skin protection;

Hand protection : Wear suitable chemical resistant waterproof rubber or nitrile gloves with CE marking.

Body protection : Personal protective equipment should be selected according to the task being performed and the risks involved. Take off working-clothes after use.

Respiratory protection : Dry sanding of the dry paint film may cause hazardous dust to form. Wet sanding should be done whenever possible.

Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Provide ventilation in working area. In case of inadequate ventilation, wear respiratory protection.

**Environmental exposure controls** : Avoid release to the environment. Keep away from drains, surface and ground water and soil. Check that emissions from ventilation or work process equipment comply with the requirements of environmental protection legislation.

## 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid - emulsion

Colour : Card colours

Odour : Special characteristic odour

Odour threshold : Not available

Melting point/freezing point : Not determined

Initial boiling point and boiling range : Not determined

Water : 100°C

Flammability (solid, gas) : Not applicable

Lower and upper explosion limit : Not applicable

# SAFETY DATA SHEET

Page No: 5 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

|                                       |                                                                         |
|---------------------------------------|-------------------------------------------------------------------------|
| Flash point                           | : Not available                                                         |
| Auto-ignition temperature             | : Product is not self-igniting.                                         |
| Decomposition temperature             | : Not determined                                                        |
| pH                                    | : 8,5 ± 1                                                               |
| Kinematic viscosity                   | : Not determined                                                        |
| Solubility                            | : Soluble in water                                                      |
| Partition coefficient n-octanol/water | : Not determined                                                        |
| Vapour pressure                       | : Not determined                                                        |
| Density and/or relative density       | : 1,39 ± 0,05 g/cm <sup>3</sup> (25°C), white. Other colours will vary. |
| Relative vapour density               | : Not determined                                                        |
| Particle characteristics              | : Not applicable                                                        |

### 9.2. Other information

Other information is not available.

## 10. Stability and Reactivity

|                                          |                                                      |
|------------------------------------------|------------------------------------------------------|
| 10.1. Reactivity                         | : Under normal conditions, product does not react.   |
| 10.2. Chemical stability                 | : Stable under normal conditions of storage and use. |
| 10.3. Possibility of hazardous reactions | : Not                                                |
| 10.4. Conditions to avoid                | : Not special conditions.                            |
| 10.5. Incompatible materials             | : Not special materials.                             |
| 10.6. Hazardous decomposition products   | : No hazardous decomposition products known.         |

## 11. Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the Turkish regulation SEA (R.G. 11.12.2013-No 28848 (repeating)) and CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

### Acute toxicity

|                           |                                                                                                                                                |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute toxicity-oral       | : Mixture: Based on available data, the classification criteria are not met.<br>Calculated acute toxicity estimate (ATE) > 2000 mg/kg.         |
| Acute toxicity-dermal     | : Mixture: Based on available data, the classification criteria are not met.<br>Calculated acute toxicity estimate (ATE) > 2000 mg/kg.         |
| Acute toxicity-inhalation | : Mixture: Based on available data, the classification criteria are not met.<br>Calculated acute toxicity estimate (ATE) > 5 mg/L (dust/mist). |

Acute toxicity of ingredients:

| Ingredient name                                                                         |                                                                                                                                              |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| 3-iodo-2-propynylbutylcarbamate                                                         | LD 50 oral: 1056-1795 mg/kg bw (rat)<br>LD 50 dermal: 2000 mg/kg bw (rabbit)<br>LC 50 inhalation: 630-6890 mg/m <sup>3</sup> (rat) - 4 hours |
| 1,2-benzizotiyazol-3(2H)-on                                                             | LD 50 oral: 1020 mg/kg (rat)                                                                                                                 |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | LD 50 oral: 69 mg/kg (rat)                                                                                                                   |

|                                        |                                                                              |
|----------------------------------------|------------------------------------------------------------------------------|
| <b>Skin corrosion / Irritation</b>     | : Mixture: Based on available data, the classification criteria are not met. |
| <b>Serious eye damage / Irritation</b> | : Mixture: Based on available data, the classification criteria are not met. |

# SAFETY DATA SHEET

Page No: 6 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

## PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

**Respiratory or skin sensitisation** : Mixture: EUH208: Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Cas No: 55965-84-9) and 1,2-benzisothiazol-3(2H)-one (Cas. No: 2634-33-5). May produce an allergic reaction.

**Germ cell mutagenicity** : Mixture: Based on available data, the classification criteria are not met.

**Carcinogenicity** : Mixture: Based on available data, the classification criteria are not met.

**Reproductive toxicity** : Mixture: Based on available data, the classification criteria are not met.

**Specific target organ toxicity–single exposure** : Mixture: Based on available data, the classification criteria are not met.

**Specific target organ toxicity–repeated exposure** : Mixture: Based on available data, the classification criteria are not met.

**Aspiration hazard** : Mixture: Based on available data, the classification criteria are not met.

Information on likely routes of exposure: Not available.

### Potential acute health effects

**Ingestion** : May be harmful if ingestion.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : The product contains sensitising substance. May cause allergic skin reactions.

**Eye contact** : If splashed in the eyes, the liquid may cause irritation and reversible damage.

### Symptoms related to the physical, chemical and toxicological characteristics

**Ingestion** : No specific data.

**Inhalation** : No specific data.

**Skin contact** : May cause irritation.

**Eye contact** : No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**  
Not available.

### 11.2. Information on other hazards

**Endocrine disrupting properties** : Not available.

**Other information** : No additional information.

## 12. Ecological Information

**12.1. Toxicity** : No ecological data for the mixture as a whole.

Keep away from drains, surface and ground water and soil.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment, but contains substance(s) hazardous to the environment. See Section 3 for details.

### Ecological toxicity of the ingredients

| Ingredient name              |                                                                                                                                       |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 1,2-benzisothiazol-3(2H)-one | EC50/48 h: 3,27 mg/L (Daphnia magna)<br>EC50/72 h: 0,11 mg/L (Selenastrum capricornutum)<br>LC50/96 h: 2,2 mg/L (Oncorhynchus mykiss) |

**SAFETY DATA SHEET**

Page No: 7 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

**PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT  
INTERIOR PAINT**

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

|                                                                                         |                                                                                                                                              |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | EC50/48 h: 0,1 mg/L (Daphnia magna)<br>EC50/72 h: 0,048 mg/L (Pseudokirchneriella subcapitata)<br>EC50/96 h: 0,22 mg/L (Oncorhynchus mykiss) |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|

- 12.2. Persistence and degradability** : No available data.  
**12.3. Bioaccumulative potential** : No available data.  
**12.4. Mobility in soil** : No available data.  
**12.5. Results of PBT and vPvB assessment** : This mixture does not contain any substances that are assessed to be a PBT or a vPvB.  
**12.6. Other adverse effects** : No available data.

**13. Disposal Considerations**

Disposal of waste/surplus and contaminated packaging should be carried out in accordance with applicable regional, national and local laws and regulations. According to European Waste Catalogue, waste codes:

Waste paint and varnish : 080111  
Contaminated package : 150110  
Contaminated waste : 150202

**13.1. Waste treatment methods**

Do not allow product to reach sewage system.  
Wastes should be sent to licensed recycling facility.

**14. Transport Information**

|                                         | ADR            | IMDG           | IATA/ICAO      |
|-----------------------------------------|----------------|----------------|----------------|
| <b>14.1. UN number</b>                  | Not applicable | Not applicable | Not applicable |
| <b>14.2. UN proper shipping name</b>    | -              | -              | -              |
| <b>14.3. Transport hazard class(es)</b> | -              | -              | -              |
| <b>14.4. Packing group</b>              | -              | -              | -              |
| <b>14.5. Environmental hazards</b>      | No             | No             | No             |
| <b>Additional information</b>           | -              | -              | -              |

- 14.6. Special precautions for user:** Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.  
**14.7. Maritime transport in bulk according to IMO instruments:** Not applicable.

**15. Regulatory Information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**EU Regulation (EC) No 1907/2006 (REACH)**  
**Annex XIV - List of substances subject to authorisation**  
Annex XIV: None of the components are listed  
**Substances of very high concern:** None of the components are listed.  
**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:** Not applicable.  
**Kimyasalların Kaydı, Değerlendirilmesi, İzni ve Kısıtlanması Hakkında Yönetmelik (R.G. 23.06.2017-30105 (Mükerrer)) (KKDIK)**

**SAFETY DATA SHEET**

Page No: 8 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

**PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT  
INTERIOR PAINT**

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

**Ek XIV – İzne tabi maddelerin listesi**

**Ek XIV:** None of the components are listed.

**Yüksek önem taşıyan maddeler:** None of the components are listed.

**Ek XVII – Belirli zararlı maddelerin, karışımların ve eşyaların imalatı, piyasaya arzı ve kullanımı hakkında kısıtlamalar:** Not applicable.

**Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik (R.G. 12.08.2013-28733)**

**Kanserojen ve Mutajen Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik (R.G. 08.08.2013-28730)**

**6331 sayılı, İş Sağlığı ve Güvenliği Kanunu (R.G. 20.06.2012-6331)**

**Atık Yönetimi Yönetmeliği (R.G. 02.04.2015-29314)**

**Seveso Directive:** This product is not controlled under the Seveso Directive.

**Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:** Not listed.

**VOC: Directive 2004/42/EC on the limitation of emissions of volatile organic compounds**

IIA/a. Interior matt walls and ceilings (Gloss <25@60°)

EU limit value for this product (cat.A/a): 30 g/l (2010). This product contains max 26 g/l VOC.  
ready to use

**15.2. Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

**16. Other Information**

Revision has been carried out due to changes in Section 3, 9 and 15.

**Abbreviations and acronyms**

|               |                                                                                                       |
|---------------|-------------------------------------------------------------------------------------------------------|
| ADR           | : European agreement concerning the international carriage of dangerous goods by road                 |
| ATE           | : Acute Toxicity Estimate                                                                             |
| CAS           | : Chemical Abstract Service                                                                           |
| CE            | : Conformité Européenne                                                                               |
| CLP           | : Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of substances and mixtures |
| EC            | : European Commission                                                                                 |
| EC50          | : Effective Concentration 50%                                                                         |
| EU            | : European Union                                                                                      |
| EUH statement | : CLP-specific hazard statement                                                                       |
| IATA          | : International Air Transport Association                                                             |
| ICAO          | : International Civil Aviation Organization                                                           |
| IMDG          | : International Maritime Dangerous Goods                                                              |
| IMO           | : International Maritime Organization                                                                 |
| LC50          | : Lethal concentration 50%                                                                            |
| LD50          | : Lethal Dose 50%                                                                                     |
| MARPOL        | : Convention for the Prevention of Marine Pollution from Ships                                        |
| PBT           | : Persistent, Bioaccumulative and Toxic                                                               |
| REACH         | : Registration, Evaluation and Authorization of Chemical                                              |
| VOC           | : Volatile Organic Compounds                                                                          |
| vPvB          | : very Persistent and very Bioaccumulative                                                            |

## SAFETY DATA SHEET

Page No: 9 / 9

According to Regulation (EC) No 1907/2006 (REACH), Annex II,  
as amended by Regulation (EU) No 2020/878

### PERMOLİT PERMOMAX SİLİKONLU MAT İÇ CEPHE BOYASI / PERMOMAX SILICONE MATT INTERIOR PAINT

Preparation Date : 12.02.2018  
Form No : GBF 03.007

Revision Date : 24.08.2026  
Revision No : 2

#### Classification methods used according to Regulation SEA (R.G. 11.12.2013-No 28848 (repeating)) and CLP Regulation (EC) No 1272/2008:

EUH 208 : Calculation method

#### Full text of hazard statements

H301 : Toxic if swallowed.  
H302 : Harmful if swallowed.  
H310 : Fatal in contact with skin.  
H314 : Causes severe skin burns and eye damage.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H331 : Toxic if inhaled  
H372 : Causes damage to organs through prolonged or repeated exposure  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
EUH071 : Corrosive to the respiratory tract.

#### Full text of classifications

Acute Tox.2 : Acute toxicity - Category 2  
Acute Tox.3 : Acute toxicity - Category 3  
Acute Tox.4 : Acute toxicity - Category 4  
Aquatic Acute 1 : Short-term (acute) aquatic hazard - Category 1  
Aquatic Chronic 1 : Long-term (chronic) aquatic hazard - Category 1  
Eye Dam.1 : Serious eye damage/eye irritation - Category 1  
Eye Irrit.2 : Serious eye damage/eye irritation - Category 2  
Skin Corr.1C : Skin corrosion/irritation - Category 1C  
Skin Irrit.2 : Skin corrosion/irritation - Category 2  
Skin Sens.1 : Skin sensitization - Category 1  
Skin Sens.1A : Skin sensitization - Category 1A  
STOT RE 1 : Specific target organ toxicity – Repeated exposure - Category 1

Name-Surname : Seval KARAHASAN  
Certificate No : KDU-A-0-0178  
Document Date : 21.10.2022

**Note:** The data given here is based on our current knowledge and experience. The purpose of this safety data sheet is to describe the products in terms of their safety requirements. However, it shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.